



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address : COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

| SERIAL NUMBER | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. |
|---------------|-------------|----------------------|---------------------|
| 08/040,986 | 03/31/93 | GOTO | M 8340660CIFIP |

D1M1/0411

OBLON, SPIVAK, MC CLELLAND,
MAIER & NEUSTADT
1755 JEFFERSON DAVIS HWY., 4TH FL.
ARLINGTON, VA 22202

ROSENBERG, R
EXAMINER

ART UNIT PAPER NUMBER

1101

DATE MAILED: 04/11/94

This is a communication from the examiner in charge of your application.
COMMISSIONER OF PATENTS AND TRADEMARKS

☐ This application has been examined ☒ Responsive to communication filed on 1-14-94 ☒ This action is made final.

A shortened statutory period for response to this action is set to expire 3 month(s), days from the date of this letter.
Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Part I THE FOLLOWING ATTACHMENT(S) ARE PART OF THIS ACTION:

- ☒ Notice of References Cited by Examiner, PTO-892.
- ☐ Notice re Patent Drawing, PTO-948.
- ☐ Notice of Art Cited by Applicant, PTO-1449.
- ☐ Notice of Informal Patent Application, Form PTO-152
- ☐ Information on How to Effect Drawing Changes, PTO-1474.
- ☐

Part II SUMMARY OF ACTION

1. ☒ Claims 2-5 are pending in the application.

Of the above, claims are withdrawn from consideration.

2. ☐ Claims have been cancelled.

3. ☐ Claims are allowed.

4. ☒ Claims 2-5 are rejected.

5. ☐ Claims are objected to.

6. ☐ Claims are subject to restriction or election requirement.

7. ☐ This application has been filed with informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes.

8. ☐ Formal drawings are required in response to this Office action.

9. ☐ The corrected or substitute drawings have been received on Under 37 C.F.R. 1.84 these drawings
are ☐ acceptable; ☐ not acceptable (see explanation or Notice re Patent Drawing, PTO-948).

10. ☐ The proposed additional or substitute sheet(s) of drawings, filed on has (have) been ☐ approved by the
examiner; ☐ disapproved by the examiner (see explanation).

11. ☐ The proposed drawing correction, filed has been ☐ approved; ☐ disapproved (see explanation).

12. ☐ Acknowledgement is made of the claim for priority under U.S.C. 119. The certified copy has ☐ been received ☐ not been received
☐ been filed in parent application, serial no. ; filed on

13. ☐ Since this application appears to be in condition for allowance except for formal matters, prosecution as to the merits is closed in
accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.

14. ☐ Other

EXAMINER'S ACTION

Art Unit 1101

Claim ^s 2-5 ^{are} rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The terminology "anode furnace" is deemed to render the claims vague and indefinite in that it is not clear whether such "furnace" is used to produce anodes or to use them to produce pure copper.

Leiponen has been cited to show the refining of copper using a plurality of converter furnaces.

A terminal disclaimer is required, as was discussed with the applicant's attorney, Mr. Trainor, during the interview conducted on March 3, 1994.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 C.F.R. § 1.136(a).

A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS FINAL ACTION IS SET TO EXPIRE THREE MONTHS FROM THE DATE OF THIS ACTION. IN THE EVENT A FIRST RESPONSE IS FILED WITHIN TWO MONTHS OF THE MAILING DATE OF THIS FINAL ACTION AND THE ADVISORY ACTION IS NOT MAILED UNTIL AFTER THE END OF THE THREE-MONTH SHORTENED STATUTORY PERIOD, THEN THE SHORTENED STATUTORY PERIOD WILL EXPIRE ON THE DATE THE ADVISORY ACTION IS MAILED, AND ANY EXTENSION FEE PURSUANT TO 37 C.F.R. § 1.136(a) WILL BE CALCULATED FROM THE MAILING DATE OF THE ADVISORY ACTION. IN NO EVENT WILL THE STATUTORY PERIOD FOR RESPONSE EXPIRE LATER THAN SIX MONTHS FROM THE DATE OF THIS FINAL ACTION.


Serial No. 040,986

-3-

Art Unit 1101

Any inquiry concerning this communication or earlier communications from the examiner should be directed to P. Rosenberg whose telephone number is (703) 308-3860.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0661.


PETER D. ROSENBERG
PRIMARY EXAMINER
GROUP 1100

P. Rosenberg:rg
April 07, 1994